



FIRE FLASHLIGHT

ISKRA LED



ISKRA LED firefighter flashlight is designed for use in fire protection as well as gas, vapour and mist (G) or dust (D) explosion hazard zones. Durable, non-flammable and light housing. Made of flame-retardant and anti-static thermoplastic. Power source: 4 AA alkaline batteries.

ISKRA LED non-flammable firefighter flashlight with ATEX

- ✓ The flashlight complies with Directive 2014/34/EU and the following harmonised standards:
 - ▶ EN IEC 60079-0:2018
 - ▶ EN 60079-7:2015
 - ▶ EN 60079-11:2012
 - ▶ EN 60079-31:2014
- ✓ Designation: II 2G Ex e ib IIB T4 Gb
II 2D Ex tb IIIC TMax 95°C Db, IP 67
- ✓ Certificate: IEP 14 ATEX 0192
- ✓ Complies with EN 443:2008 point 4.11 in terms of flame resistance.

**Technical parameters:**

- ▶ Power source: — 4 AA (LR6) alkaline batteries
- ▶ Light source: — CREE LED Q5 diode light module
- ▶ Light intensity: — 120 lm
- ▶ Operating time (one set of batteries): — min. 72 h
- ▶ IP protection level: — IP 67
- ▶ Range: — approx. 100 m
- ▶ Weight: — 128g (excl. batteries)