

BOOTS FOR FIREFIGHTERS

FHR 005 NEO

FHR 006 NEO

- ✓ Personal Protective Equipment Category III.
- ✓ Special footwear, delivering safety in extreme environments, including fire-fighting, rescue and containment operations.
- ✓ Complies with the most stringent protection standards in accordance with Regulation (EU) 2016/425 and the following harmonised standards:
 - EN 15090:2012 Footwear for firefighters.
 - EN ISO 20345:2022 Personal protective equipment – Safety footwear.
 as confirmed by a certificate issued by Notified Body No. 2474 MIRTA-KONTROL d.o.o.
- ✓ Certificate of admittance issued by Notified Body No. 1438 CNBOP-PIB.





Key features:

- ✓ **S7S** – a new protection class (compliant with EN ISO 20345:2022), which defines a very high level of safety.
- ✓ **F2A** – meets all basic requirements for type 2 footwear and antistatic properties.
- ✓ **SC** – scuff cup abrasion (steel or composite).
- ✓ **AN** – ankle protection.
- ✓ **H13** – insulation against heat level 3 (contact with ground at 250 °C for 40 minutes).
- ✓ **SR** – slip resistance on ceramic tile floor with glycerine.
- ✓ **CI** – cold insulation of outsole complex.
- ✓ **HRO** – outsole resistance to hot contact.
- ✓ **FO** – outsole resistance to fuel oil.
- ✓ **LG** – ladder grip.

Available versions:

- ① FHR 005 NEO (design D) — slip-on.
- ② FHR 006 NEO (design C) — double closure system (zip and laces).

Safety and maximum comfort of use:

- ✓ Non-metallic anti-puncture insole protects against puncture and ensures flexibility, elasticity, and lightness.
- ✓ Waterproof and breathable ePTFE membrane allows sweat removal, improves hygiene, protects against soaking, and ensures comfort in all weather conditions.
- ✓ Cold and heat-resistant outsole, ergonomic, antistatic, anti-slip, oil-resistant.
- ✓ Additional rubber reinforcements (front and back).
- ✓ Rear and front flex zones.
- ✓ Ankle protection.
- ✓ Leather quick pull-on straps in the front and back stabilize the tongue when fastening the zipper (FHR 006 NEO).
- ✓ Leather quick pull-on straps at both sides of the boots (FHR 005 NEO).
- ✓ Soft cuff in the upper part of the boots.
- ✓ Anatomically shaped tongue.
- ✓ Zipper lock-down system (FHR 006 NEO).
- ✓ Additional leather flap covering the zipper and protecting from dirt.
- ✓ Non-flammable reflective tapes increase the user's visibility.
- ✓ Seams made of non-flammable threads.
- ✓ Smooth, hydrophobic grain leather, impregnated in a special way, heat-resistant, and waterproof.

Available sizes: 36-49



1. Smooth, hydrophobic grain leather, impregnated in a special way, heat-resistant, and waterproof.
2. Hook-free lacing system to prevent accidental catching. Non-flammable yellow reflective tape.
3. Anatomically shaped tongue.
4. Rear and front (design D only) flex zones.
5. Ankle protection.
6. Additional leather flap covering the zipper and protecting from dirt.
7. Leather quick pull-on straps in the front and back stabilize the tongue when fastening the zipper
8. Steel toe cap with a rubber edge. Additional rubber reinforcements for enhanced safety and protection against mechanical damage, particularly in the toe and heel areas.

